

# HD Wi-Fi Camera

**Built-in Battery & Magnet**



## Features

- Viewing angle: 130°
- DC power: 5~12V
- Anti-vibration: ISO16750-3 (Max. 17.3G)
- Working temperature: -20°C ~ +60°C
- Mirror/normal images switchable
- Operation Frequency: 2.4GHz-2.4835GHz; 5.12GHz-5.825GHz
- Spread Spectrum: IEEE802.11a/b/g/n/ac
- RF Bit Rate: 11Mbps





## 1080P Magnetic WiFi Backup Camera with Built-in Battery

Magnetic Rechargeable WiFi Car Camera is easy to install and convenient to use. It's IP69K waterproof and can be battery-powered -- ideal for truck, trailer, RV, etc. It supports both Android and iOS.

## Built-in Rechargeable Battery

The built-in battery will supply power to the camera.

Charging Time	Discharge Time
3H/ 12V	12H (LED off)
8H/ 5V	5.5H (LED on)



## No Complicated Wiring Easy Labor-saving Installation

- Built-in magnet
- Anti-vibration: ISO 16750-3 (Max. 17.3G)





Battery Capacity	3.6V/6700mAh
Charging Voltage	DC 5~12V
Charging Time	5V/8H, 12V/3.5H
Discharging Time	12H (Daytime)
Standby Time	180 day RH95%MAX.
Charge Temperature	-10°~45°C RH95%MAX.
Operating Temperature	-20°~60°C RH95%MAX.
Storage Temperature	-20°~60°C RH95%MAX.
Waterproof	IP69K
Image Device	1/2.9" CMOS
FPS	2~30
Effective Pixels	1920 (H) x 1080 (V)
Pixel size	2.8 μm x 2.8 μm
Scanning System	Progressive Scanning
Sync System	Internal
Gamma Consumption	0.45
AGC	Auto
Dynamic Range	81dB
White Balance	Auto
BLC	Auto
Operation Frequency	2.4GHz-2.4835GHz ; 5.12GHz-5.825GHz
Sensitivity @PER	-86dBm@8%PER
Working Mode	Infrastructure; Ad-Hoc
Spread SPECTRUM	IEEE 802.11a/b/g/n/ac
RF Power	18dBm@11b, 14dBm@11g , 13dBm@11a, 13dBm@11n, 11dBm@11ac
Delay	200ms
RF Bit Rate	11Mbps
Minimum Illumination	0Lux
The Transmit Distance	60m
Night vision distance	8 ~10m
Power Supply	DC 5-12V
Audio	Yes
Viewing Angle	130°
IR-Cut	Yes